Starrett® Introduces A New Ruling Class

Starrett®

- PRECISION TAPES
- WOODEN RULES
- CHALK LINES
- PLUMB BOBS
- UTILITY KNIVES
- KEY CADDY

CATALOG NO. 212



CHROME & CHARCOAL TRU-LOK™ WITH TOUGH TIP™ BLADE PROTECTOR

EXCLUSIVE TOUGH TIP™ BLADE PROTECTOR . . .

TOUGH TIP is a stainless plate, reinforcing the tape blade end, thus reducing blade edge breakage by up to 85%. TOUGH TIP significantly increases the life of your blade.



POSITIVE BLADE CONTROL . . .

When the TRU-LOK slide is pressed into the locking position, it will hold the tape blade exactly where you want it without pulling it back into the case as it locks. A Starrett feature, with a big, smooth-action, finger-tip lock.

SUPERIOR BLADE . . .

Rust resistant yellow lacquered blade is graduated in red and black with stud marks every 16 inches (English-reading tapes). See next page for complete blade markings.



END HOOKS . . .

Self-adjusting end hooks with TOUGH TIP blade protector slides to compensate for its own thickness.

IMPACT RESISTANT CASE . . .

Impact resistant cases in chrome or charcoal are guaranteed for life.

BELT CLIP . . .

All 1 inch, ¾ inch and ½ inch tapes complete with handy metal belt clip.

MORE SIZES . . .

Starrett precision tapes with TOUGH TIP and TRU-LOK features are available in ½ inch, ¾ inch and 1 inch blade widths, English, metric and combination English and metric reading.

QUALITY . . .

The L. S. Starrett Company "THE WORLD'S GREATEST TOOLMAKERS", has been manufacturing quality precision tools and measuring instruments since 1880. All Starrett products have to be manufactured to the highest standards of quality to bear the name "Starrett". The PRECISION TAPE LINE is 100% quality inspected during each manufacturing operation, assuring every tape will meet our high standards for quality, accuracy and long life.

PACKAGING . . .

All tapes are individually carded with Starrett's new, eye-catching, four-color "SUNBURST" design. Tape labels are clearly marked for length, re-order numbers, EDP number (Electronic Data Processing) and the length of the case.

Starrett®
PRECISION TAPES

BLADE TYPES SHORT LINE TAPES



EXAMPLE A
ENGLISH 1″

EXAMPLE B
ENGLISH/METRIC 1″

EXAMPLE C
METRIC 1″

EXAMPLE D
ENGLISH 3/4″

EXAMPLE E (LEFT)
METRIC/ENGLISH 3/4″
EXAMPLE F (RIGHT)
CENTIMETER/ENGLISH

EXAMPLE G (LEFT)
METRIC 3/4″
EXAMPLE H (RIGHT)
CENTIMETER 3/4″

EXAMPLE J
ENGLISH 1/2″

EXAMPLE K (LEFT)
METRIC/ENGLISH 1/2″
EXAMPLE L (RIGHT)
CENTIMETER/ENGLISH

EXAMPLE M (LEFT)
METRIC 1/2″
EXAMPLE N (RIGHT)
CENTIMETER 1/2″



1 inch wide blade

1 inch Tapes with TOUGH TIP and TRU-LOK Features
CHROME CASE

CATALOG NUMBER	EDP NUMBER	LENGTH	UNIT OF MEASURE	EXAMPLE SEE PAGE 1	QTY. SHELF PACK	WT. LBS.	QTY. MASTER CARTON	WT. LBS.
SCK116	63033	16′	in./ft.	A		5		26
SCK120	63034	20′	in./ft.	A		5		26
SCK125	63035	25′	in./ft.	A	6	7	36	38
SCK130	63036	30′	in./ft.	A		8		45
SCK116M/E	63037	5M-16′	mm/in	B		5		26
SCK120M/E	63038	6M-20′	mm/in.	B		5		28
SCK125M/E	63039	7.6M-25′	mm/in.	B		7		38
SCK15M	63040	5M	mm/m	B	6	5	36	26
SCK16M	63041	6M	mm/m	C		6		34
SCK17.6M	63042	7.6M	mm/m	C		7		38



¾ inch wide blade

¾ inch Tapes with TOUGH TIP and TRU-LOK Features
CHROME CASE

CATALOG NUMBER	EDP NUMBER	LENGTH	UNIT OF MEASURE	EXAMPLE SEE PAGE 1	QTY. SHELF PACK	WT. LBS.	QTY. MASTER CARTON	WT. LBS.
SCK12	63015	12′	in./ft.	D		3		17
SCK16	63016	16′	in./ft.	D		4		20
SCK20	63017	20′	in./ft.	D	6	4	36	23
SCK25	63018	25′	in./ft.	D		5		27
SCK12M/E	63019	3.65M-12′	mm/in.	E		3		17
SCK16M/E	63020	5M-16′	mm/in.	E		4		20
SCK20M/E	63021	6M-20′	mm/in.	E		4		23
SCK25M/E	63022	7.6M-25′	mm/in.	E	6	5	36	27
SCK12C/E	63023	3.65M-12′	cm/in.	F		3		17
SCK16C/E	63024	5M-16′	cm/in.	F		4		20
SCK20C/E	63025	6M-20′	cm/in.	F		4		23
SCK5M	63026	5M	mm/in.	E		4		20
SCK4M	63027	4M	mm/in.	E	6	5	36	27
SCK7.6M	63029	7.6M	mm/in.	E		4		23
SCK3.65C	63030	3.65M	mm/in.	E		5		23
SCK5C	63031	5M	mm/in.	E		4		20
SCK6C	63032	6M	mm/in.	E	6	5	36	27



½ inch wide blade

½ inch Tapes with TOUGH TIP and TRU-LOK Features
CHROME CASE

CATALOG NUMBER	EDP NUMBER	LENGTH	UNIT OF MEASURE	EXAMPLE SEE PAGE 1	QTY. SHELF PACK	WT. LBS.	QTY. MASTER CARTON	WT. LBS.
SC8	63000	8′	in./ft	J		2		11
SC10	63001	10′	in./ft.	J		2		12
SC12	63002	12′	in./ft.	J	6	2	36	13
SC6M/E	63003	2M-6′	mm/in.	K		2		11
SC10M/E	63004	3M-10′	mm/in.	K		2		12
SC12M/E	63005	3.65M-12′	mm/in.	K		2		11
SC6C/E	63006	2M-6′	cm/in.	L		2		12
SC10C/E	63007	3M-10′	cm/in.	L	6	2	36	12
SC12C/E	63008	3.65M-12′	cm/in.	L		2		13
SC2M	63009	2M	mm/m	M		2		12
SC3M	63010	3M	mm/m	M		2		11
SC3.65M	63011	3.65M	mm/m	M	6	2	36	11
SC2C	63012	2M	cm/m	N		2		12
SC3C	63013	3M	cm/m	N		2		12

1 inch wide blade

1 inch Tapes with TOUGH TIP and TRU-LOK Features
CHARCOAL CASE

CATALOG NUMBER	EDP NUMBER	LENGTH	UNIT OF MEASURE	EXAMPLE SEE PAGE 1	QTY. SHELF PACK	WT. LBS.	QTY. MASTER CARTON	WT. LBS.
SK116	63084	16'	in./ft.	A		5		26
SK120	63085	20'	in./ft.	A		5		26
SK125	63086	25'	in./ft.	A	6	7	36	38
SK130	63087	30'	in./ft.	A		8		45
SK116ME	63088	5M-16'	mm/in	B		5		26
SK120M/E	63089	6M-20'	mm/in.	B	6	5	36	28
SK125M/E	63090	7.6M-25'	mm/in.	B		5		38
SK15M	63091	5M	mm/m	C		5		26
SK16M	63092	6M	mm/m	C	6	5	36	26
SK17.6M	63093	7.6M	mm/m	C		5		28



¾ inch wide blade

¾ inch Tapes with TOUGH TIP and TRU-LOK Features
CHARCOAL CASE

CATALOG NUMBER	EDP NUMBER	LENGTH	UNIT OF MEASURE	EXAMPLE SEE PAGE 1	QTY. SHELF PACK	WT. LBS.	QTY. MASTER CARTON	WT. LBS.
SK12	63066	12'	in./ft.	D		4		20
SK16	63067	16'	in./ft.	D		4		23
SK20	63068	20'	in./ft.	D	6	4	36	23
SK25	63069	25'	in./ft.	D		4		23
SK12M/E	63070	3.65M-12'	mm/in.	E		5		27
SK16M/E	63971	5M-16'	mm./in.	E		4		23
SK20M/E	63072	6M-20'	mm/in.	E		4		23
SK25M/E	63073	7.65-25'	mm/in.	E	6	4	36	23
SK12C/E	63074	3.65M-12'	mm/in.	E		4		23
SK16C/E	63075	5M-16'	mm/in.	E		5		27
SK20C/E	63076	6M-20'	mm-in.	E		4		23
SK25C/E	63086	7.6M-25'	cm/in.	F		4		23
SK4M	63077	4M	mm/m	G	6	4	36	23
SK5M	63078	5M	mm/m	G		4		23
SK6M	63079	6M	mm/m	G		4		23
SK7.6M	63080	7.6M	mm/m	G		5		27



½ inch wide blade

½ inch Tapes with TOUGH TIP and TRU-LOK Features
CHARCOAL CASE

CATALOG NUMBER	EDP NUMBER	LENGTH	UNIT OF MEASURE	EXAMPLE SEE PAGE 1	QTY. SHELF PACK	WT. LBS.	QTY. MASTER CARTON	WT. LBS.
SL8	63051	8'	in./ft.	J		2		11
SL10	63052	10'	in./ft.	J		2		12
SL12	63053	12"	in./ft.	J	6	2	36	13
SL6M/E	63054	2M-6'	mm/in.	J		2		11
SL10M/E	63055	3M-10'	mm/in.	J		2		12
SL12M/E	63056	3.65M-12'	mm/in.	J		2		11
SL6C/E	63057	2M-6'	cm/in.	L		2		12
SL10C/E	63058	3M-10'	cm/in.	L	6	2	36	12
SL12C/E	63059	3.65M-12'	mm/in.	L		2		13
SL3M	63061	3M	mm/m	M		2		11
SL3.65M	63062	3.65M	mm/m	M		2		11
SL3C	63064	3M	cm/m	N	6	2	36	12
SL3.65C	63065	3.65M	cm/m	N		2		12

REPLACEMENT YELLOW TAPE BLADES
1 INCH WIDE — TOUGH TIP™

CATALOG NUMBER	EDP NUMBER	LENGTH	UNIT OF MEASURE	QTY. SHELF BOX	WEIGHT PER SHELF BOX (LBS)	QTY. MASTER CARTON	WEIGHT PER MASTER CARTON (LBS)
SK116R	63293	16′	in./ft.	6	2	72	25
SK120R	63251	20′	in./ft.	6	3	72	28
SK125R	63252	25′	in./ft.	6	3	72	33
SK130R	63253	30′	in./ft.	6	4	72	38
SK116RM/E	63254	16′-5M	mm/in.	6	2	72	25
SK120RM/E	63255	20′-6M	mm/in.	6	3	72	28
SK125RM/E	63256	25′-7.6M	mm/in.	6	3	72	33
SK15RM	63257	5M	mm/in.	6	2	72	25
SK16RM	63258	6M	mm/in.	6	3	72	28
SK17.6RM	63259	7.6M	mm/in.	6	3	72	33

REPLACEMENT YELLOW TAPE BLADES
¾ INCH WIDE — TOUGH TIP™

SK10R	63228	10′	in./ft.	6	1	72	11
SK12R	63229	12′	in./ft.	6	2	72	14
SK16R	63230	16′	in./ft.	6	2	72	17
SK20R	63231	20′	in./ft.	6	2	72	21
SK25R	63232	25′	in./ft.	6	3	72	24
SK12RM/E	63234	12′-3.65M	mm/in.	6	2	72	14
SK16RM/E	63235	16′-5M	mm/in.	6	2	72	17
SK20RM/E	63236	20′-6M	mm/in.	6	2	72	21
SK25RM/E	63237	25′-7.6M	mm/in.	6	3	72	24
SK12RC/E	63238	12′-3.65M	cm/in.	6	2	72	14
SK16RC/E	63239	5M	cm/in.	6	2	72	17
SK20RC/E	63240	6M	cm/in.	6	2	72	21
SK3.65RM	63242	3.65M	mm/m	6	2	72	14
SK5RM	63244	5M	mm/m	6	2	72	17
SK6RM	63245	6M	mm/m	6	2	72	21
SK7.6RM	63246	7.6M	mm/m	6	2	72	14

REPLACEMENT YELLOW TAPE BLADES
½ INCH WIDE — TOUGH TIP™

S6R	63212	6′	in./ft.	6	1	144	11
S8R	63213	8′	in./ft.	6	1	144	15
S10R	63214	10′	in./ft.	6	1	144	17
S12R	63215	12′	in./ft.	6	1	144	20
S6RM/E	63216	6′-2M	mm/in.	6	1	144	11
S10RM/E	63217	10′-3M	mm/in.	6	1	144	17
S12RM/E	63218	12′-3.65M	mm/in.	6	1	144	20
S6RC/E	63219	6′-2M	cm/in.	6	1	144	11
S10RC/E	63220	10′-3M	cm/in.	6	1	144	17
S12RC/E	63221	12′-3.65M	cm/in.	6	1	144	20

Starrett replacement blades are manufactured to the same quality and standards as supplied with the original tape.

TOUGH TIP blade protector supplied as standard on all replacement blades listed on this page. TOUGH TIP is a stainless plate, reinforcing the tape blade end, thus reducing blade edge breakage by up to 85%.

SUPERIOR BLADES are rust resistant, yellow-lacquered, marked in red and black.

END HOOKS-self-adjusting slides to compensate for its own thickness.

EASY REPLACEMENT BLADES are wound in reverse for easy replacement.

TO REPLACE BLADE

PULL BLADE FROM CASE FULL LENGTH UNTIL BLUE SPRING IS EXPOSED. PUT MATCH OR NAIL IN HOLE, AS SHOWN, TO PREVENT SPRING FROM PULLING BLADE BACK INTO THE CASE. TURN BLADE AT RIGHT ANGLE TO THE SPRING AND REMOVE FROM SLOT. SLIP ON NEW BLADE.

CAUTION: BLUE SPRING MUST COME UP THROUGH NEW BLADE (SEE ILLUSTRATION). ALWAYS WEAR SAFETY GLASSES.



¼ inch LOCKING THIN TAPES

Chrome-plated case is thin and slips into the pocket or purse. Case is 2 inches wide at base. Easy-to-read black markings on blade, graduated in eighths and sixteenths with thirty-seconds on first six inches. Non-moveable end hook.

CATALOG NUMBER	EDP NUMBER	LENGTH	UNIT OF MEASURE	EXAMPLE SEE PAGE 1	QTY. SHELF PACK	WT. LBS.	QTY. MASTER CARTON	WT. LBS.
SL6TY	63043	6′	in./ft.	J	6	2	72	16
SL10TY	63044	10″	in./ft.	J		2		16
SL6TM/E	63045	2M-6′	mm/in.	K		2		16
SL10TM/E	63046	3M-10′	mm/in.	K		2		16
SL2TM	63047	2M	mm/m	M	6	2	72	16
SL3TM	63048	3M	mm/m	M		2		16

¼ inch THIN TAPES, NON-LOCKING

Chrome-plated case is thin and slips into the pocket or purse. Case is 2 inches wide at base. Easy-to-read black markings on blade, graduated in eighths and sixteenths with thirty-seconds on first six inches. Non-moveable end hook.

S6TY	63096	6′	in./ft.	J	6	1	72	9
S10TY	63097	10′	in./ft.	J		1		9
S6TM/E	63098	2M-6′	mm/in.	K		1		9
S2TM	63100	2M	mm/m	K		1		9
S3TM	63101	3M	mm/m	K		1		9
S10TM/E	63099	3M-10′	mm/in.	H		1		9

½ inch PUSH PULL TAPES

Chrome-plated die-cast case. Easy-to-read black markings on blade. Graduated in eighths and sixteenths with thirty-seconds on first six inches. Self-adjusting end hook slides to compensate for its thickness, assuring accurate inside-outside measurements.

S106Y	63104	6′	in./ft.	J	6	2	36	9
S110Y	63105	10′	in./ft.	J		2		10
S112Y	63106	12′	in./ft.	K		2		12
S106M/E	63107	2M/6′	mm/in.	K		2		9
S110M/E	63108	3M/10′	mm/in.	K		2		10
S112M/E	63109	3.65M/12′	mm/in.	K		2		10
S2M	63113	2M	mm/m	M	6	2	36	9
S3M	63114	3M	mm/m	M		2		10
S3.65M	63115	3.65M	mm/m	M		2		12

½ inch PUSH-PULL TAPES

Charcoal case is molded of high-impact plastic. Blade retracts automatically into case. Yellow blade marked in red and black, graduated in eighths and sixteenths, with thirty-seconds on first six inches. Self-adjusting end hook on blade.

SE6	63119	6′	in./ft.	J	6	1	36	7
SE8	63120	8′	in./ft.	J		2		8
SE10	63121	10′	in./ft.	J		2		9
SE12	63122	12′	in./ft.	J		2		10
SE6M/E	63123	2M-6′	mm/in.	K		1		7
SE10M/E	63124	3M-10′	mm/in.	K	6	2	36	9
SE12M/E	63125	3.65M-12′	mm/in.	K		2		8
SE2M	63126	2M	mm/m	M	6	2	36	9
SE3M	63127	3M	mm/m	M		2		9
SE3.65M	63128	3.65M	mm/m	M		2		9

¾ inch PUSH PULL TAPES

SKE10	63129	10′	in./ft.	D	6	2	36	12
SKE12	63130	12′	in./ft.	D		2		13
SKE10M/E	63131	3M-10′	mm/in.	E		2		12
SKE12M/E	63132	3.65M-12′	mm/in.	E		2		13
SKE3M	62133	3M	mm/m	G	6	2	36	12
SKE3.65M	62134	3.65M	mm/m	G		2		13

TAPE-SQUARE™

3/4 inch wide blade measures and marks right angles in one easy step. This 4 in 1 tool combines the best features of the locking tape measure and carpenters' square. Mark 90° angles, 45° angles and circles easily. Chrome-plated case, locking lever. Yellow blade is graduated in red and black. Stud marks every 16 inches. Swivel belt clip and exclusive TOUGH TIP blade protector.





TAPE-SQUARE, 3/4 inch BLADE

CATALOG NUMBER	EDP NUMBER	LENGTH	UNIT OF MEASURE	QTY. SHELF PACK	WT. LBS.	QTY. MASTER CARTON	WT. LBS.
STS16	63095	16'	in./ft.	6	4	36	24



TAPE-SQUARE, 1 inch BLADE

All new design 25 ft. Tape-Square. Chrome-plated case. Measure and mark a perfect right angle in one easy step. Three-color, easy-to-read blade with baked-on clear finish resists rust and corrosion. Yellow blade is graduated in red and black. Stud marks every 16 inches. Metal belt clip.

CATALOG NUMBER	EDP NUMBER	LENGTH	UNIT OF MEASURE	QTY. SHELF PACK	WT. LBS.	QTY. MASTER CARTON	WT. LBS.
STS100	63292	25'	in./ft.	6	7	36	40

MINI-TAPE WITH CHAIN

Chrome-plated mini-tape with key chain. 1/4 inch wide blade, 3 ft. length.

CATALOG NUMBER	EDP NUMBER	LENGTH	UNIT OF MEASURE	QTY. SHELF PACK	WT. LBS.	QTY. MASTER CARTON	WT. LBS.
S3TY	63136	3'	in./ft.	6	1	72	6

MEASURE STIX™

The tape measure that sticks to almost any work surface. High quality precision steel rule is flat with self-adhesive back, cuts to size with scissors.

CATALOG NUMBER	EDP NUMBER	BLADE SIZE	UNIT OF MEASURE	QTY. SHELF PACK	WT. LBS.	QTY. MASTER CARTON	WT. LBS.
SM44W	63168	1/2"x4'	in./ft.	6	1	72	7
SM412W	63170	1/2"x12'	in./ft.	6	1	72	13
SM66W	63169	3/4"x6'	in./ft.	6	1	72	11
SM44M/E	63171	1/2"x4'/1.2M	mm/in.	6	1	72	7
SM412M/E	63173	1/2"x12/3.65M	mm/in.	6	1	72	11
SM66M/E	63172	3/4"x6'/2M	mm/in.	6	1	72	13



LONG LINE TAPES
SATIN CHROME TAPE WITH HOOK

Hard wearing, multi-plate SATIN CHROME finish pioneered by Starrett. No glare, easy to read. Eliminates eye strain. Highly resistant to stains, corrosion and wear. Tough, durable, red vinyl covering over electro-plated steel case. Extra-long handle gives extra leverage and easier operation . 3/8 inch wide tape.

CATALOG NUMBER	EDP NUMBER	LENGTH	UNIT OF MEASURE	QTY. SHELF PACK	WT. (LBS)	QTY. MASTER CARTON	WT. (LBS)
HC530-50	55591	50'	in./ft.	1	.88	—	—
HC530-100	55593	100'	in./ft.	1	1.38	—	—
HC530ME-15M	55678	15M	mm/in.	1	.88	—	—
HC530ME-30M	55681	30M	mm/in.	1	1.88	—	—



LONG LINE TAPES
STAINLESS STEEL TAPE WITH RING

CATALOG NUMBER	EDP NUMBER	LENGTH	UNIT OF MEASURE	QTY. SHELF PACK	WT. (LBS)	QTY. MASTER CARTON	WT. (LBS)
520-50	55542	50'	in./ft.	1	.94	—	—
520-100	55543	100'	in./ft.	1	1.50	—	—



LONG LINE TAPES
YELLOW TAPE WITH HOOK

Easy reading, lustrous black graduations on yellow steel tape. Quick reading foot figures, shows total feet and inches at a glance. Nylon rollers at opening of case reduce wear, prevent damage to tape line. Tough, durable, red vinyl covering over electro-plated steel case. Extra-long handle gives extra leverage and easier operation. 3/8 inch wide tape.

CATALOG NUMBER	EDP NUMBER	LENGTH	UNIT OF MEASURE	QTY. SHELF PACK	WT. (LBS)	QTY. MASTER CARTON	WT. (LBS)
HY530-50	63278	50'	in./ft.	6	6	24	24
HY530-100	63279	100'	in./ft.	6	10	24	40
HY530M-15M	63280	15M	mm/m	1	1	—	—
HY530M-30M	63281	30M	mm/m	1	1.63	—	—
HY530ME-15M	63282	15M	mm/in.	1	1	—	—
HY530ME-30M	63283	30M	mm/in.	1	1.63	—	—
HY530CI-600	63284	600"	in./16ths	1	1	—	—



LONG LINE TAPES
WHITE TAPE WITH HOOK

CATALOG NUMBER	EDP NUMBER	LENGTH	UNIT OF MEASURE	QTY. SHELF PACK	WT. (LBS)	QTY. MASTER CARTON	WT. (LBS)
HW530-50	55655	50'	in./ft.	6	6	24	24
HW530-100	55657	100'	in./ft.	6	10	24	40
HW530M-10M	55687	10M	mm/m	1	1	—	—
HW530M-15M	55688	15M	mm/m	1	1.63	—	—
HW530M-20M	55689	20M	mm/m	1	1.63	—	—
HW530M-30M	55691	30M	mm/m	1	1.63	—	—
HW530ME-15M	55715	15M	mm/in.	1	1	—	—
HW530ME-30M	55718	30M	mm/in.	1	1.63	—	—
HW530CI-600	56484	600"	in./16ths	1	1	—	—

HIGH-IMPACT PLASTIC LONG LINE TAPES

Charcoal-color case, molded of high-impact plastic, fits the hand comfortably. 3/8 inch wide tape has large black graduations for easy visibility. Hook ring on blade measures from zero on outside of ring and inside of hook. Pop-open folding handle with longer extension for fast, easy rewinding. Available in yellow or white tape lines.

YELLOW LINES

CATALOG NUMBER	EDP NUMBER	LENGTH	UNIT OF MEASURE	QTY. SHELF PACK	WT. LBS.	QTY. MASTER CARTON	WT. LBS.
HY510-50	63287	50'	in./ft.	6	4	36	24
HY510-100	63288	100'	in./ft.		6	24	24

WHITE LINES

HW510-50	63289	50'	in./ft.	6	4	36	24
HW510-100	63290	100'	in./ft.		6	24	24



OIL GAGING TAPES-1/2 INCH WIDE TAPES

Ideal for tank gaging of heavy and light oils, gasoline, etc. Heavy-duty hardened steel frame in black, rust-resistant finish with removable hardwood handle. One-piece winding handle locks line at any setting. Steel tape with easy-to-read satin chrome finish. Complete with No. 515C plumb bob.

SATIN CHROME TAPE WITH PLUMB BOB (NO. 515C)

CATALOG NUMBER	EDP	LENGTH	UNIT OF MEASURE	QTY. SHELF PACK	WT. LBS.
C507CB-50	55454	50'	in./ft.	1	3.69
C507CB-66	55455	66'	in./ft.	1	4.25
C507CB-100	55457	100'	in./ft.	1	4.81
C507MCB-15M	55851	15M	mm/m	1	3.69
C507MCB-20M	55852	20M	mm/m	1	4.25
C507MCB-30M	55853	30M	mm/m	1	4.81

SATIN CHROME TAPE WITHOUT PLUMB BOB

C507C-50	55846	50'	in./ft.	1	2.38
C507C-66	55847	66'	in./ft.	1	2.81
C507C-100	55849	100'	in./ft.	1	3.56
C507MC-15M	55855	15M	mm/m	1	2.38
C507MC-20M	55856	20M	mm/m	1	2.81
C507MC-30M	55857	30M	mm/m	1	3.56



OIL GAGING TAPES-3/8 INCH WIDE TAPES
SATIN CHROME TAPE WITH PLUMB BOB (NO. 515B)

C508BB-50	55481	50'	in./ft.	1	2
C508BB-15M	55485	15M	mm/m	1	2

SATIN CHROME TAPE WITHOUT PLUMB BOB

C508B-50	55872	50'	in./ft.	1	.75
C508B-15M	56640	15M	mm/m	1	.75



OIL GAGING PLUMB BOBS

No. 515A-Made of solid brass with three protruding lugs.
No. 515B-Solid cone style brass bob. Both 515A and 515B are suitable for light oils, gasoline, water, etc.
No. 515C-Solid round style brass bob, serrated on side with tapered point. Suitable for heavy or light oils.
No. 515D-Solid brass round style bob, serrated one side with tapered points. Side has deep cut graduations in 8ths of an inch. Reads from point up.
No. 515MD-Same as 515D but graduations are metric, millimeters.
No. 515E-Solid brass with extra-wide dark strip which augments the oil line showing depth. Graduations in 16ths of an inch reading left to right and with markings top to bottom.
No. 515F-Solid brass round style with cupped ends for innage gaging of ship tanks.
No. 515NS-Similar to 515C but with replaceable eye and tip made of non-sparking beryllium copper.

CATALOG NUMBER	EDP NUMBER	DIMENSIONS	QTY. SHELF PACK	WT. LBS.
515A	55534	2 3/8" Lg.x2 3/8" Dia	1	1.06
515B	55535	2 3/8" Lg.x1 1/4" Dia.	1	.34
515C	55536	6 1/4" Lg.x1" Dia.	1	1.25
515D	55537	6 3/4" Lg.x1" Dia.	1	1.38
515MD	55538	6 3/4" Lg.x1" Dia.	1	1.38
515E	55539	6 3/16" Lg.x3/4" Square	1	.92
515F	55540	6 3/4" Lg.x1" Dia.	1	1.25
515NS	55541	6 3/4" Lg.x1" Dia	1	1.25

LONG LINE
Steel Measuring Tapes
General Information
The Complete Line

Starrett Tapes Fit Every Need

Starrett Precision Tapes are made in a wide range of styles and sizes in English graduations, Metric graduations (M), and Metric and English graduations (M&E) to meet practically every requirement in accurate tape measurement. These include Stainless Steel Tapes, Case Tapes, Oil Gaging Tapes in all Standard widths, lengths and graduations. Tape refills without cases are also available for most tapes, as well as plumb bobs and tape hooks.

Easy Reading

No Glare for Fast, Accurate Measurement

Starrett Precision Tapes are easy to read, permitting fast, accurate measurements and are available with two types of finish, either a hard wearing multi-plate SATIN CHROME or a tough WHITE or YELLOW baked enamel finish.

English measure tapes with 3/8" and 1/2" lines all have the "Quick Reading" feature with the foot figure appearing before each inch mark. No. C530 SATIN CHROME tapes and No. W530 WHITE tapes have foot figures in red plus red foot figures before every inch mark; also a red flag every 16 inches showing standard stud centers. This allows faster reading and eliminates errors. All metric tapes have the desirable feature of being graduated in millimeters, centimeters and meters the entire length of the line.

Starrett no-glare, multi-plate SATIN CHROME finish, hard wearing, stain and corrosion resistant. Available on most Starrett Tapes. Foot figures and flags for 16" stud centers in red.

Starrett WHITE or YELLOW Finish — Tough, Durable, Baked Enamel on "Phosphatized" Steel. Foot figures and flags for 16" stud centers in red.

Metric tapes have the desirable feature of being graduated in millimeters, centimeters and meters the entire length of the line.

Metric and English Graduations

REPLACEMENT TAPE LINES SATIN CHROME TAPE WITH HOOK

CATALOG NUMBER	EDP NUMBER	BLADE SIZE	UNIT OF MEASURE	QTY. SHELF PACK	WT. LBS.	QTY. MASTER CARTON	WT. LBS.
LHC530-50	55515	50′	in./ft.	1	.63	—	—
LHC530-100	55597	100′	in./ft.	1	1.13	—	—
LHC530ME-15M	55683	15M	mm/in.	1	.63	—	—
LHC530ME-30M	55686	30M	mm/in.	1	1.13	—	—

REPLACEMENT TAPE LINES STAINLESS STEEL TAPE WITH RING

CATALOG NUMBER	EDP NUMBER	BLADE SIZE	UNIT OF MEASURE	QTY. SHELF PACK	WT. LBS.	QTY. MASTER CARTON	WT. LBS.
L520-50	55544	50′	in./ft.	1	.56	—	—
L520-100	55545	100′	in./ft.	1	1.14	—	—

REPLACEMENT TAPE LINES YELLOW TAPE WITH HOOK

CATALOG NUMBER	EDP NUMBER	LENGTH	UNIT OF MEASURE	QTY. SHELF PACK	WT. LBS.	QTY. MASTER CARTON	WT. LBS.
LHY530-50	63294	50′	in./ft.	1	.63	—	—
LHY530-100	63295	100′	in./ft.	1	1.13	—	—
LHY530M-15	63296	15M	mm/m	1	.63	—	—
LHY530M-30	63297	30M	mm/m	1	1.13	—	—
LHY530ME-15	63298	15M	mm/in.	1	.63	—	—
LHY530ME-30	63299	30M	mm/in.	1	1.13	—	—
LHY530CI-600	63300	600″	in./16ths	1	.63	—	—

REPLACEMENT TAPE LINES WHITE TAPE WITH HOOK

CATALOG NUMBER	EDP NUMBER	LENGTH	UNIT OF MEASURE	QTY. SHELF PACK	WT. LBS.	QTY. MASTER CARTON	WT. LBS.
LHW530-50	55659	50′	in./ft.	1	.63	—	—
LHW530-100	55661	100′	in./ft.	1	1.13	—	—
LHW530M-10M	55709	10M	mm/m	1	.50	—	—
LHW530M-15M	55710	15M	mm/m	1	.63	—	—
LHW530M-20M	55711	20M	mm/m	1	.75	—	—
LHW530M-30	55713	30M	mm/m	1	1.13	—	—
LHW530ME-15	55720	15M	mm/in.	1	.63	—	—
LHW530ME-30	55723	30M	mm/in.	1	1.13	—	—
LHW530CI-600	63301	600″	in./16ths	1	.63	—	—

REPLACEMENT TAPE LINES ONLY ½ INCH WIDE WITH SNAP RING

CATALOG NUMBER	EDP	LENGTH	UNIT OF MEASURE	QTY. SHELF PACK	WT. LBS.
LC507C-50	55460	50′	in./ft.	1	1.19
LC507C-66	55461	66′	in./ft.	1	1.50
LC507C-100	55463	100′	in./ft.	1	2.25
LC507MC-15M	55859	15M	mm/m	1	1.19
LC507MC-20M	55860	20M	mm/m	1	1.50
LC507MC-30M	55861	30M	mm/m	1	2.25

REPLACEMENT TAPE LINES ONLY ⅜ INCH WIDE WITH SNAP RING

CATALOG NUMBER	EDP	LENGTH	UNIT OF MEASURE	QTY. SHELF PACK	WT. LBS.
LC5088-50	55483	50′	in./ft.	1	.56
LC5088-15M	55487	15M	mm/m	1	.56





WOOD FOLDING RULE WITH EXTENSION

Six feet long, with 6 inch graduated brass extension for measuring between doors, windows, walls, etc. Brass strike plates protect markings. Heavy brass-plated steel spring joints. Deeply embossed and sealed easy-to-read numerals, with 16 inch stud center markings in red.

CATALOG NUMBER	EDP NUMBER	LENGTH	READING	QTY. SHELF PACK	WT. (LBS)	QTY. MASTER CARTON	WT. (LBS)
SX40	63177	6′	Reg. (outside)	6	3	36	16
SX40F	63178	6′	Flat (inside)	6	3	36	16

WOOD FOLDING RULE WITHOUT EXTENSION

S060	63179	6′	Reg. (outside)	6	3	36	16
S060F	63180	6′	Flat (inside)	6	3	36	16

CHALK LINES/PLUMB LINES

Die cast reel with durable baked enamel finish. Exclusive slide action lock and hook ring provides true plumb-bob action. Lock releases automatically on rewind. Handle closes flush with case. Leakproof plumb-bob tip opens for quick filling with powdered chalk. Supplied without chalk. Individually boxed.



CATALOG NUMBER	EDP NUMBER	LENGTH	QTY. SHELF PACK	WT. LBS.	QTY. MASTER CARTON	WT. LBS.
SCL50	63138	50′	6	4	36	21
SCL100	63139	100′	6	4	36	22

CHALK REFILLS

Highest quality powdered chalk colored to mark distinctly. Available in red, white or blue. Packed in 8 oz. container with tightly closing cover.

CATALOG NUMBER	EDP NUMBER	COLOR	QTY. SHELF PACK	WT. LBS.	QTY. MASTER CARTON	WT. LBS.
SC8B	63146	BLUE	6	4	48	33
SC8R	63147	RED	6	4	48	33
SC8W	63148	WHITE	6	4	48	33

REPLACEMENT LINES

Top quality line on "pop-in" spool for use in Starrett chalk-line reels. Fits most chalk reels.

CATALOG NUMBER	EDP NUMBER	LENGTH	QTY. SHELF PACK	WT. LBS.	QTY. MASTER CARTON	WT. LBS.
SRL50	63166	50′	6	1	144	4
SRL100	63177	100′	6	1	144	12

KEY CADDY

Heavy duty chrome-plated die-cast case with stainless steel chain and large key ring. Returns keys and other articles automatically. Ideal for custodians, maids, watchmen, service station attendants and many others. Great for welders to carry torch ignitors.

CATALOG NUMBER	EDP	QTY. SHELF PACK	WT. LBS.	QTY. MASTER CARTON	WT. LBS.
SK1	63135	6	2	36	12

ADJUSTABLE UTILITY KNIFE

Heavy duty model is specially shaped to fit the hand comfortably. Die cast grey enamel finish. Blade locks in four positions. Complete with three blades.

CATALOG NUMBER	EDP	QTY. SHELF PACK	WT. LBS.	QTY. MASTER CARTON	WT. LBS.
S01	63182	6	2	36	12

CUT & SCRAPE UTILITY KNIFE

Combination utility knife and scraping tool, complete with three blades.

S02	63183	6	2	36	10

ADJUSTABLE MINI-KNIFE

A precision miniature adjustable utility knife with key chain. Adjusts to three positions. Complete with two blades.

S03	63184	12	2	72	8

REPLACEMENT BLADE KNIVES

CATALOG NUMBER	EDP NUMBER	FITS KNIFE	QUANTITY	QTY. SHELF PACK	WT. (LBS)	QTY. MASTER CARTON	WT. (LBS)
S01R-5	63185	S01 & S02	5 carded	12 cards	1	288	16
S03R-5	63186	S03	5 carded	6 cards	1	288	6
SB-50	63187	S01 & S02	50 boxed	1	1	50	23
SB-250	63188	S01 & S02	250 boxed	1	3	20	46

AMERICAN MADE

Starrett®

WORLD'S GREATEST TOOLMAKERS

The L. S. Starrett Company
121 Crescent Street
Athol, Massachusetts 01331 U.S.A.

Catalog No. 212
Issue 2, 7-6-87

Printed in U.S.A.